

Growth and production of California sea cucumbers (<i>Parastichopus californicus</i> Stimpson) co-cultured with suspended Pacific oysters (<i>Crassostrea gigas</i> Thunberg) D.L. Paltzat (Nanaimo, Vancouver, British Columbia, Canada), C.M. Pearce, P.A. Barnes (Nanaimo, British Columbia, Canada) and R.S. McKinley (Vancouver, British Columbia, Canada)	124
Integrated assessment of ecosystem-scale carrying capacity in shellfish growing areas J.G. Ferreira (Monte de Caparica, Portugal), A.J.S. Hawkins (Plymouth, United Kingdom), P. Monteiro (Stellebosch, South Africa), H. Moore, M. Service (Belfast, United Kingdom), P.L. Pascoe (Plymouth, United Kingdom), L. Ramos (Lisboa, Portugal) and A. Sequeira (Monte de Caparica, Portugal)	138
Effects of oxygen concentration and body weight on maximum feed intake, growth and hematological parameters of Nile tilapia, <i>Oreochromis niloticus</i> A. Tran-Duy, J.W. Schrama (Wageningen, The Netherlands), A.A. van Dam (Delft, The Netherlands) and J.A.J. Verreth (Wageningen, The Netherlands)	152
Growth, production and fin damage in cage-held 0+ Atlantic salmon pre-smolts (<i>Salmo salar</i> L.) fed either a) on-demand, or b) to a fixed satiation-restriction regime: Data from a commercial farm C. Noble (Glasgow, Scotland, UK; Tromsø, Norway), S. Kadri (Glasgow, Scotland, UK), D.F. Mitchell (Glasgow, Scotland, UK; Dover, Tasmania, Australia) and F.A. Huntingford (Glasgow, Scotland, UK)	163
A laboratory-scale recirculating aquaculture system for juveniles of freshwater pearl mussel <i>Hyriopsis (Limnoscapha) myersiana</i> (Lea, 1856) S. Kovitvadh (Bangkok, Chonburi, Thailand), U. Kovitvadh (Bangkok, Thailand), P. Sawangwong (Chonburi, Thailand) and J. Machado (Porto, Portugal)	169
Fertility of cryopreserved spermatozoa of the Japanese pearl oyster, <i>Pinctada fucata martensii</i> T. Narita (Mie, Japan), T. Kawamoto (Nara, Japan), K. Isowa, H. Aoki, M. Hayashi, A. Komaru (Mie, Japan) and H. Ohta (Nara, Japan)	178
Probiotic <i>P. acidilactici</i> application in shrimp <i>Litopenaeus stylirostris</i> culture subject to vibriosis in New Caledonia M. Castex (Nouméa cedex, New Caledonia; Paris, France), L. Chim, D. Pham, P. Lemaire, N. Wabete (Nouméa cedex, New Caledonia), J.-L. Nicolas (Plouzané, France), P. Schmidely and C. Mariojous (Paris, France)	182
The effect of mussel seed density on tunicate settlement and growth for the cultured mussel, <i>Mytilus edulis</i> A. Ramsay, J. Davidson (Charlottetown, PEI, Canada), T. Landry (Moncton, NB, Canada) and H. Stryhn (Charlottetown, PEI, Canada)	194
Nutrition	
Effect of dietary taurine supplementation on growth performance and bile salt activated lipase activity of common dentex, <i>Dentex dentex</i> , fed a fish meal/soy protein concentrate-based diet S. Chatzifotis (Heraklio, Greece), I. Polemitou (Thessaloniki, Greece), P. Divanach (Heraklio, Greece) and E. Antonopoulou (Thessaloniki, Greece)	201
Quantification of dry matter % and liquid leakage in Atlantic cod (<i>Gadus morhua</i>) using computerised X-ray tomography (CT) K. Kolstad, T. Mørkøre and M.S. Thomassen (Ås, Norway)	209
Pre-hydrolysis improves absorption of neutral lipids in Atlantic halibut (<i>Hippoglossus hippoglossus</i> , L.) larvae T.A. Mollan, S.K. Tonheim and K. Hamre (Bergen, Norway)	217
Dietary supplementation of salmon roe phospholipid enhances the growth and survival of Pacific bluefin tuna <i>Thunnus orientalis</i> larvae and juveniles M. Seoka, M. Kurata, R. Tamagawa, A.K. Biswas, B.K. Biswas, A. Seok Kian Yong, Y.-S. Kim, S.-C. Ji, K. Taki and H. Kumai (Wakayama, Japan)	225
Dietary fat level modifies the expression of hepatic genes in juvenile rainbow trout (<i>Oncorhynchus mykiss</i>) as revealed by microarray analysis S. Panserat, S. Ducasse-Cabanot, E. Plagnes-Juan (Saint-Pée-sur-Nivelle, France), P.P. Srivastava (Mumbai, India), C. Kolditz (Saint-Pée-sur-Nivelle, France), F. Piumi, D. Esquerré (Jouy-en-Josas, France) and S. Kaushik (Saint-Pée-sur-Nivelle, France)	235
The effect of dietary hydroxyproline supplementation on salmon (<i>Salmo salar</i> L.) fed high plant protein diets A. Aksnes, H. Mundheim, J. Toppe and S. Albrektsen (Bergen, Norway)	242
Evaluation of the effects of repeated fecal collection by manual stripping on the plasma cortisol levels, <i>TNF-α</i> gene expression, and digestibility and availability of nutrients from hydrolyzed poultry and egg meal by rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum) D.A.J. Stone, T.G. Gaylord, K.A. Johansen, K. Overturf, W.M. Sealey and R.W. Hardy (Hagerman, Idaho, United States)	250
Replacement of fish meal by rendered animal protein ingredients with lysine and methionine supplementation to practical diets for gibel carp, <i>Carassius auratus gibelio</i> M. Hu, Y. Wang, Q. Wang (Wuhan, PR China), M. Zhao (Guangzhou, PR China), B. Xiong (Wuhan, PR China), X. Qian (Guangzhou, PR China), Y. Zhao and Z. Luo (Wuhan, PR China)	260
Growth, feed efficiency and condition of common octopus (<i>Octopus vulgaris</i>) fed on two formulated moist diets J. Cerezo Valverde, M.D. Hernández, F. Aguado-Giménez and B. García García (Spain)	266
Effect of dietary phospholipid levels on performance, enzyme activities and fatty acid composition of pikeperch (<i>Sander lucioperca</i>) larvae N. Hamza (Salammbou Tunisia; Namur, Belgium), M. Mhetli, I.B. Khemis (Salammbou Tunisia), C. Cahu (Plouzané, France) and P. Kestemont (Namur, Belgium)	274
Lysine requirement and efficiency of lysine utilization in turbot (<i>Scophthalmus maximus</i>) juveniles H. Peres and A. Oliva-Teles (Porto, Portugal)	283
Effect of type of binder on growth, digestibility, and energetic balance of <i>Octopus maya</i> C. Rosas, J. Tut, J. Baeza, A. Sánchez, V. Sosa, C. Pascual, L. Arena (Yucatán, Mexico), P. Domingues (Cartaza, Spain) and G. Cuzon (Tahiti, French Polynesia)	291
Mineral status of African catfish (<i>Clarias gariepinus</i>) fed diets containing graded levels of soybean or cottonseed meals I.I. Toko (Namur, Belgium; Cotonou, Benin), E.D. Fiogbe (Cotonou Benin) and P. Kestemont (Namur, Belgium)	298
Physiology and Endocrinology	
Salinity stress on embryos and early larval stages of the pomfret <i>Pampus punctatissimus</i> Z. Shi, X. Huang (Shanghai, China), R. Fu, H. Wang, H. Luo, B. Chen, M. Liu (Zhoushan City, China) and D. Zhang (Wenzhou, China; Vero Beach, FL, USA)	306
The relationship between acute stress, food intake, endocrine status and life history stage in juvenile farmed Atlantic salmon, <i>Salmo salar</i> N.W. Pankhurst, S.L. Ludke (Townsville, Queensland, Australia), H.R. King (Wayatinah, Tasmania, Australia) and R.E. Peter (Edmonton, Alberta, Canada)	311
Physiological responses of European sea bass <i>Dicentrarchus labrax</i> to different stocking densities and acute stress challenge P. Di Marco, A. Priori, M.G. Finioia (Rome, Italy), A. Massari, A. Mandich (Genoa, Italy) and G. Marino (Rome, Italy)	319

Effect of different thermal regimes on growth and physiological performance of the sea cucumber <i>Apostichopus japonicus</i> Selenka Y. Dong, S. Dong and T. Ji (Qingdao, PR China)	329
Immune and physiological responses in Pacific white shrimp (<i>Penaeus vannamei</i>) to <i>Vibrio alginolyticus</i> S.-L. Hsieh (Kaohsiung, Taiwan, ROC), Y.-H. Ruan (Ilan, Keelung, Taiwan, ROC), Y.-C. Li, P.-S. Hsieh (Kaohsiung, Taiwan, ROC), C.-H. Hu (Ilan, Taiwan, ROC) and C.-M. Kuo (Keelung, Taiwan, ROC)	335
Effects of the muscle relaxant, magnesium chloride, on the Sydney rock oyster (<i>Saccostrea glomerata</i>) D. Butt (Taylors Beach, NSW, Australia), S.J. O'Connor (North Ryde, NSW, Australia), R. Kuchel (Taylors Beach, NSW, Australia), W.A. O'Connor (North Ryde, NSW, Australia) and D.A. Raftos (Taylors Beach, NSW, Australia)	342
Reduction of sexual maturation in male <i>Dicentrarchus labrax</i> by continuous light both before and during gametogenesis A. Felip, S. Zanuy, B. Muriach, J.M. Cerdá-Reverter and M. Carrillo (Castellón, Spain)	347
Short Communications	
Gene expression of ferritin in tissue of the Pacific white shrimp, <i>Litopenaeus vannamei</i> after exposure to pH stress J. Zhou, W.-N. Wang, G.-Z. Ma, A.-L. Wang, W.-Y. He, P. Wang, Y. Liu, J.-J. Liu, R.-Y. Sun (Guangzhou, PR China)	356
Cryopreservation of Brazilian flounder (<i>Paralichthys orbignyanus</i>) sperm C.F.C. Lanes, M. Okamoto (Rio Grande, Brazil), P.V. Cavalcanti, T. Collares, V.F. Campos, J.C. Deschamps, R.B. Robaldo (Pelotas, Brazil), L.F. Marins and L.A. Sampaio (Rio Grande, Brazil)	361
A fish nodavirus associated with mass mortality in hatchery-reared Asian Sea bass, <i>Lates calcarifer</i> V. Parameswaran, S.R. Kumar, V.P.I. Ahmed and A.S.S. Hameed (Tamilnadu, India)	366
Correspondence	
A reply to T.W. Flegel P.A. McLaughlin (Anacortes, WA, USA), R. Lemaitre, F.D. Ferrari (Washington, D.C., USA), D.L. Felder and R.T. Bauer (Lafayette, Louisiana, USA)	370
Contents of Aquaculture, Volume 275	374

